



AMENDMENTS TO THE CLAIMS


1. (Original) A polyoxymethylene molding composition comprising
 - (A) from 0.1 to 5.0% by weight of a compatibilizer,
 - (B) from 5 to 50% by weight of an impact modifier,
 - (C) the remainder to 100% by weight of a polyoxymethylene.
2. (Original) The polyoxymethylene molding composition comprising
 - (A) from 0.2 to 2% by weight of a compatibilizer,
 - (B) from 5 to 40% by weight of an impact modifier,
 - (C) the remainder to 100% by weight of a polyoxymethylene.
3. (Original) The polyoxymethylene molding composition comprising
 - (A) from 0.3 to 0.6% by weight of a compatibilizer,
 - (B) from 7 to 30% by weight of an impact modifier,
 - (C) the remainder to 100% by weight of a polyoxymethylene.
4. (Currently Amended) The polyoxymethylene molding composition as claimed in ~~any of claims 1 to 3~~ claim 1, where the compatibilizer contains many underlying units of the following formulae:




and




and





and, where appropriate,



where R and R₂ are a hydrogen atom or an alkyl group having 1 or 2 carbon atoms,



and where X is CH₃ or 

and at least one X is 

and where

a is a number from 1 to 10,

b is 0 or 1,

c is a number from 0 to 10,

l is a number from 0 to 10,

R₃, R₅ are a hydrogen atom or a methyl group,

R₄ is a hydrogen atom or an alkyl group having from 1 to 4 carbon atoms,

m is 1 or 2,




n is 0 or 1 or 2,


x is an integer from 0 to 10,

Y is H or
$$\begin{array}{c} \text{R}_6 \\ | \\ \text{O} - \text{C} - \text{R}_7 \\ | \\ \text{R}_8 \end{array}$$
, where

R₆, R₇ are identical or different and are an alkyl group having from 1 to 4 carbon atoms,

R₈ is an alkyl group having from 1 to 12 carbon atoms, phenyl, alkylphenyl or cycloalkyl having from 3 to 12 carbon atoms





where the underlying units of the formulae (Ia), (Iia), (IIIa), (Iva) and (Va) may have bonding to underlying units of the formulae (I), (II), (III), (IV), or (V), and the compatibilizer comprises

- from 29 to 70% by weight of underlying unit of the formula (I)
- from 0.5 to 30% by weight of underlying unit of the formula (II)
- from 10 to 70% by weight of underlying unit of the formula (III)
- and from 0 to 10% by weight of underlying units of the formula (IV) and/or (V).

5. (Currently amended) The polyoxymethylene molding composition as claimed in ~~one or more of the preceding claims~~ claim 1, wherein the compatibilizer has a molecular weight of from 5000 to 10^8 .

6. (Currently amended) The polyoxymethylene molding composition as claimed in ~~one or more of the preceding claims~~ claim 1, wherein the compatibilizer has a molecular weight of from 10^4 to 10^6 .

7. (Currently amended) The polyoxymethylene molding composition as claimed in ~~one or more of the preceding claims~~ claim 1, where component (B) comprises a polyurethane or a two-phase mixture made from polybutadiene and styrene-acrylonitrile (ABS), or comprises modified polysiloxanes and, respectively, silicone rubbers, or graft copolymers made from an elastomeric, single-phase core based on polydiene and from a hard outer graft layer, with fine distribution.
8. (Currently amended) The polyoxymethylene molding composition as claimed in ~~one or more of the preceding claims~~ claim 1, where component (B) comprises graft polymers made from an elastomeric, single-phase core based on polydiene and a hard outer graft layer, the outer layer of the particles having one or two subshells, where in the case of particles having one subshell the shell is composed of poly(meth)acrylate and poly(meth)acrylonitrile, and in the case of particles having two such shells the inner subshell is composed of crosslinked polystyrene and the outer subshell is composed of crosslinked polymethacrylate.
9. (Currently amended) The polyoxymethylene molding composition as claimed in ~~one or more of the preceding claims~~ claim 1, where component (C), the polyoxymethylene, has been prepared using trifluoromethanesulfonic acid or boron trifluoride as initiator.
10. (Currently amended) The use of the thermoplastic molding composition as claimed in ~~one or more of claims 1 to 9~~ claim 1 for producing moldings or films.
11. (Currently amended) A molding produced from a thermoplastic molding composition as claimed in ~~one or more of claims 1 to 9~~ claim 1.